Refrigerant Gas R141B	
Physical Properties	
Molecular Weight	116.95
Boiling Point	101.3KPa(° C) -32
Freezing Point	N/M
Density 30° C(kg/m3)	1221
Critical Temperature (° C)	204.2
Critical Pressure (MPa)	4.25
ODP	0.086
GWP	700
Quality Index	
Purity	≥99.90%
Water content	below 0.002%
Acidity	≤0.00001%
Evaporation residue	≤0.01%
Chloride content	N/M
Appearance	Colorless and clear
Odor	Odorless
Application	
HCFC-141B can substitute CFC-11 as foaming agent for rigid or soft Pufoam without changing process or equipment or replace CFC-113 as metal cleaner and solder remover as well	
Packing, Payment and Delivery	
Packing	1. Disposable cylinder: 13.6KG/25lb
	2. Steel Drum 30KG,40KG,250KG
MOQ	20'GP
Payment	1)By T/T 30% as deposit, the 70% balance against copy of B/L
	2)L/C payment term is also negotiable
Delivery	20-25days after receiving the deposit
About Sample	
Sample is ok, but refrigerant is dangerous goods in law, ship agent will not accept mixed stuffing with other goods, so the high sea freight and delivery cost is better been taken into consideration.	